

ViconNet Shadow Elite Recording Servers

Top-of-the-line recording servers (NVRs) with internal RAID, redundant power supply and remote management capabilities



Powered by Dell and Intel Technology



Summary

The ViconNet Shadow Elite Recording Servers offer the best-in-class components and top-of-theline processors to empower large-scale, enterprise surveillance operations. These models have internal RAID (support RAID 5 or 6), redundant power supply and an Integrated Dell Remote Access Controller (iDRAC) for fast and secure remote management. The recording servers are available in 1U or 2U rack models that give offer ample storage for any size system.

Product at a Glance

- > Available in 1U or 2U rack versions
- Models with internal RAID; dual RPS; RAID 5/6
- Offers peace of mind with 5-year warranty with next business day, on-site support
- Safeguard your system with SafeBIOS, SafeID, TPM 2.0
- OpenManage Integrations: BMC Truesight, Microsoft® System Center, RedHat® Ansible® Modules, VMware® vCenter
- Remote Connections: IBM Tivoli® Netcool/OMNIbus, IBM Tivoli® Network Manager IP Edition, Micro Focus® Operations Manager I, Nagios® Core, Nagios® XI

1	5
C	ノ

Powered by Dell & Intel for Machines that Last

- Top-of-the-line components ensure long-lasting performance
- Future-proof your operation with the latest-gen technology



Installs in Minutes with Preloaded ViconNet Software

• ViconNet preloaded for installation in minutes



Backed by a 5-Year Warranty and 24/7 Support

- Includes next business day on-site support
- Covers all components (including HDD)

X VICON

Specifications (VICON-CERTIFIED HARDWARE)

Model	Rack-Mount NERA-1UXXTF	Rack-Mount NERA-2UXXTF/F/S
Operating System:	Microsoft® Windows® 10 Enterprise IoT	
CPU/RAM:	Xeon®; 16 GB ECC DDR4	Dual Xeon; 16 GB ECC DDR4
OS Drive:	2x 240 GB M.2 SSD (RAID-1)	2x 240 GB M.2 SSD (RAID-1)
Supported Data Drives:	4x 3.5″	12x 3.5″
Drives Configuration:	RAID 5	RAID 5, RAID 6
Max. Storage (Gross):	64 TB (4x 12 TB)	240 TB (12x 20 TB)
Networking:	2x 1GBE Broadcom 5720; 1x RJ-45 iDRAC	2x 1GBE Broadcom 5720; 1x RJ-45 iDRAC
Video:	Single VGA, 1920 x 1200 (WUXGA) max using Nvidia	graphics
Additional Rear Panel I/O:	2x USB 3.0; 1x VGA; 1x Serial	1X USB; 2x USB 3.0; 1x VGA; 1x Serial
Front Panel I/O:	1x USB 2.0; 1x Micro USB for iDRAC	1x USB 2.0; 1x Micro USB for iDRAC; VGA
Electrical		
Dual Redundant Power Supply:	600 W dual redundant	800 W dual redundant
Typical Power Consumption:	250 W (850 BTU)	400 W (1365 BTU)
Max. Power Consumption:	300 W (1000 BTU)	550 W (1800 BTU)
Mechanical		
Application:	Indoor	
Mounting:	Rack mount; 1U	Rack mount; 2U
Dimensions (HxWxD):	1.7 x 19 x 23.58 in. (42.8 x 483 x 598.9 mm)	3.5 x 19 x 28.4 in. (89 x 483 x 721.6 mm) with bezel
Weight:	29.98 lb (13.6 kg)	65.4 lb (29.7 kg)
Construction:	Steel and plastic	
Environmental		
Operating Temperature:	50° to 95°F (10° to 35°C)	73° to 95°F (23° to 35°C)
Relative Humidity:	5-95%, non-condensing	5-85%, non-condensing
Country of Origin:	Mexico	

*DP/Mini-DP to HDMI adapters are included.

Camera to NVR Ratio for Recording

	Recording at 25/30 fps	Recording at 12/15 fps	Recording at 7 fps
Resolution/ViconNet Quality	Max Cameras/RAID Drive	Max Cameras/RAID Drive	Max Cameras/RAID Drive
320×240/CIF	120	120	120
640×480/4CIF	120	120	120
702×480/D1	120	120	120
800×600/0.5 MP	115	120	120
1280×720/1 MP	110	120	120
1280×1024/1.3 MP	100	120	120
1920×1080/2 MP	80	120	120
1600×1200/2 MP	80	120	120
2048×1536/3 MP	60	90	105
2288×1712/4 MP	54	81	97
2600×1900/5 MP	45	67	81
3840×2160/8 MP	30	45	54
4000×3000/12 MP	10	15	18

Ordering Information Scheme

Model	Mounting Type	HDD Storage	RAID	Model Number [†]
Recording Server preconfigured with	1U Rack-mount	Up to 43.2 TB	RAID 5	NERA-1UXXTF
ViconNet VMS system with internal storage	2U Rack-mount	Up to 180 TB	RAID 5-6	NERA-2UXXTF/F/S


 $^\dagger \rm XXX$ indicates amount of TB storage.

RAID NVR: 1U Rack-Mount Models

Each includes a five year NBD onsite KYHD (Keep Your Hard Drive) warranty with UL/FCC/CE and other required certifications.

Model Name	Storage
Windows 10 Enterprise	
NERA-1U22TF-N02	32 TB gross storage (21.6 TB usable storage); RAID
NERA-1U43TF-N02	64 TB gross storage (43.2 TB usable storage); RAID

Dimensional Drawing



Front and Rear Panel Controls and Connectors


USB 2 Micro USB for iDF	RAC Serial iDRAC USB 3 Network Ports Pow	ver Cord
	VGA Cor	nectors


RAID NVR: 2U Rack-Mount Form Factor Models

Each includes a five year NBD onsite KYHD (Keep Your Hard Drive) warranty with UL/FCC/CE and other required certifications.

Model Name	Storage
Windows 10 Enterprise	
NERA-2U79TF-N02	96 TB gross storage (79.2 TB usable storage)
NERA-2U118TF-N02	144 TB gross storage (118 TB usable storage)
NERA-2U158F-N02	192 TB gross storage (158.4 TB usable storage)
NERA-2U180S-N02	240 TB gross storage (180 TB usable storage)

Dimensional Drawing






Front and Rear Panel Controls and Connectors

		— VGA
		– USB 2
		2

Micro USB for iDRAC



Data Sheet Number: V225-12-02 Vicon Data Sheet Number: 8009-7225-12-02 Intel and Xeon are trademarks or registered trademarks of Intel Corporation. Microsoft and Windows are registered trademarks of Microsoft Corporation. Nvidia is a registered trademark of NVIDIA Corporation.



Specifications subject to change without notice. Nvidia is a registered to vicon, ViconNet and their logos are registered trademarks of Vicon Industries Inc. Copyright © 2024 Vicon Industries Inc. All rights reserved.